INSTRUMENTS AND EXPERIMENTAL TECHNIQUES
Volume 24, Numbers 1-6, 1981

(A translation of Pribory i Tekhnika Éksperimenta)

Volume 24, Number 1, Part 1 January-February, 1981

| | Engl. | Russ. |
|---|---|---|
| Dielectric Track Detectors and Their Potential for Use in Neutron Registration (Review) — A. V. Belousov, V. N. Polunin, and A. I. Shchebet | 1 | 7 |
| Dissectors and Their Uses (Review) — S. S. Vetokhin, A. N. Pertsev, and I. V. Reznikov | 6 | 12 |
| NUCLEAR EXPERIMENTAL TECHNIQUES | | |
| System for the Stabilization and Control of the Betatron Energy — A. B. Kozin, V. A. Semenov, S. N. Belyaev, and A. A. Nechkin | 16 | 21 |
| Ultrahigh Frequency Injector of Electrons — E. M. Zakutov and G. A. Kirpichnikov | 19 | 23 |
| Apparatus for the Uniform Irradiation of Sample Surfaces with the Beam of Ions Extracted from an Accelerator — G. M. Gusinskii and A. L. Izotov | 21 | 25 |
| Measuring the Excitation Function of Nuclear Reactions on a Beam Having a Broad Energy Spectrum — S. V. Artemov, É. A. Zaparov, B. S. Mazitov, and V. P. Yakushev | 24 | 28 |
| Electromagnet for "Frozen" Polarization of a Proton Target — M. M. Burkhin, V. P. Dan'shin, A. G. Daikovskii, Yu. F. Kiselev, A. P. Meshchanin, B. S. Neganov, S. B. Nurushev, Yu. I. Portugalov, and V. L. Rykov | 27 | 30 |
| Fast-Response Spectrometer of Positron Lifetimes — N. P. Valuev | 30 | 33 |
| Response Function and Other Characteristics of a Spectrometric System Consisting of a Plane Radioactive Source and Plane Detectors — A. A. Kolchin, V. V. Lebedev, and G. P. Skrebtsov | 32 | 35 |
| System for the Semiautomatic Search for Particles Having a Particular Direction in Nuclear Emulsions — N. L. Grigorov, N. N. Dmitrieva, and V. A. Dmitriev | 33 | 36 |
| Evaluation of Glass Detectors of Tracks with the Aid of the Magmo Instrument — V. E. Kopchenov and V. A. Nikolaev | 36 | 39 |
| Measuring the Intensity of the Photon Beam on a Setup with a Streamer Chamber — Yu. M. Arkatov, P. I. Vatset, V. I. Voloshchuk, V. A. Zolenko, and I. M. Prokhorets | 39 | 42 |
| Use of Xenon in the Gas Mixture for Proportional Drift Chambers — V. K. Gorbunov, V. A. Krasnov, A. B. Kurepin, K. O. Oganesyan, V. I. Razin, and A. I. Reshetin | 42 | 44 |
| Dielectric Charged-Particle Detector with KCl as the Active Substance — S. M. Gukasyan, R. L. Kavalov, M. P. Lorikyan, N. N. Trofimchuk, and R. Zh. Khachatryan | 45 | 47 |
| Low-Background Proportional Resonance Counter for Mössbauer Studies — N. S. Medvedeva, V. N. Somov, L. A. Korytko, A. N. Tolstikov, E. K. Toshchakov, and V. A. Sozinov | 49 | 50 |
| Thermal Stabilization of the Optical Characteristics of Plastic Scintillators — I. A. Berezin, V. M. Gorbachev, V. V. Nazarov, V. R. Negina, V. N. Popov, I. N. Sten'gach, and N. A. Uvarov | 52 | 53 |
| Influence of an External Electric Field upon the Rising Flank of CsI—Tl $\gamma$ Scintillations — D. I. Abramovich, I. R. Gulakov, and A. N. Pertsev | 55 | 55 |
| Measurement of the Absolute Luminescence Yield of Air Subjected to the Influence of $^{239}$Pu $\alpha$ Particles — S. S. Vetokhin, A. N. Pertsev, I. V. Reznikov, and L. M. Rusakovich | 58 | 58 |

Using Cadmium Telluride Detectors in γ-Radiation Dosimetry — V. S. Gorev, V. A. Kozhemyakin, O. A. Matveev, M. D. Firsov, A. Kh. Khusainov, and G. I. Shul'govich . . . . . 60 60
Correcting the γ-Energy Equivalent of Independent γ-Reference Sources — A. Ya. Sinitsyn and R. M. Gabitov . . . . . 65 64
Protective Shielding Chambers for Reducing the External Radiation Background — V. A. Alekseev, O. P. Sobornov, and I. V. Smirnov . . . . . 67 66

EXPERIMENTAL APPLICATIONS OF COMPUTER ENGINEERING
Direct Entry of Microstructure Image Analyzer Signals into the Minsk-32 Computer — É. M. Kurashov, O. L. Barbash, S. P. Nekrasov, and V. M. Fedorov . . . . . 71 69
Fast Entry of Experimental Data into Nairi-K Computer — A. P. Zakharnev, P. P. Ivanov, and A. Ya. Chukhnin . . . . . 76 74
Interpolating Time Interval Meter Based on an Élektronika B3-21 Calculator — S. V. Denbnovetskii, S. M. Kokoshkin, Yu. I. Solomko, and A. N. Shkuro . . . . . 78 76
KK1 Crate Controller for an Eclipse Computer — S. G. Bobkov and V. A. Kantserov . . . . . 84 82
Serial—Parallel Code Converter — V. P. Martsenyuk, A. G. Dychko, and G. A. Milushkin . . . . . 87 85
Matching Circuit for Ch3-34A Frequency Meter and F5033 Transcriber — D. P. Burtovoi and A. P. Klochko . . . . . 89 87
System for Code-Marking Magnetic Tape — S. V. Elizarov, V. K. Fokin, and T. A. Pavlyuchenko . . . . . 90 88

ELECTRONICS AND RADIO ENGINEERING
Digitally Controlled Fast Pulse Distributor — K. A. Zhilkin and V. S. Kharlashin . . . . . 93 91
Time Mark Generator — V. A. Grigor'ev, V. A. Kaplin, E. F. Maklyaev, and Yu. V. Splavnik . . . . . 95 93
Shaper of a Random Signal with a Rayleigh Distribution Law — A. V. Beshkarev and L. F. Karpenko . . . . . 98 96
Scheme for Processing the Signal from a Metal—Insulator—Semiconductor Photocell Operating in the Energy-Storage Mode — G. L. Kuryshev and N. I. Khaliullin . . . . . 100 98
Converter for Converting the Amplitude of Photomultiplier Signals into Code — A. A. Silaev and O. A. Silant'ev . . . . . 103 100
Logarithmic Amplitude-Code Converter — V. I. Volchenko . . . . . 104 101
Logarithmic Time Converter — G. I. Il'kanaev . . . . . 108 105
Phase-to-Voltage Converter with an Unambiguous Reading over an Extended Range — V. F. Denisov and V. V. Khilil' . . . . . 111 107
Analog Multiplier — I. K. Gerasin and V. N. Lapenko . . . . . 114 110
Variable-Transconductance Two-Quadrant Divider — I. K. Gerasin . . . . . 115 112
Self-Oscillating Current Transducer with Parallel Conversion Channels — G. V. Suvorov, L. I. Tsytovich, O. I. Osipov, and V. P. Tushin . . . 117 113
Nanosecond and Picosecond Pulse Generator — A. V. Andriyanov, A. V. Goryachev, and V. V. Krylov . . . . . 119 115
High-Power Tacitron-Based Pulsed Generator — A. S. Aref'ev, V. F. Gnido, and B. D. Maloletkov . . . . . 121 117
250-kV Pulse Generator for Electrical-Pulse Technology — V. I. Kurets . . . 123 119
High-Voltage Square-Pulse Generator with Enhanced Pulse-Top Stability — V. G. Filippov . . . . . 125 120
Stepped High-Voltage Pulse Generator — Yu. N. Nezovibat'ko, P. A. Demchenko, and A. G. Reznichenko . . . . . 127 122
Cable Generator of High-Voltage Pulses — E. D. Korop . . . . . 129 124
Nanosecond Pulse Generators Based on Avalanche and MIS Transistors — V. P. D'yakonov . . . . . 131 126
Sawtooth-Pulse Generators Based on Semiconductor Pentodes — I. I. Obod . . . 133 127
Generator of Three-Level Pseudorandom Pulse Trains with Adjustable Time Parameters — M. V. Melen' . . . . . 135 130
High-Frequency Pulse Generator for a Liquid Acoustooptic Shutter — A. A. Prishutov and V. E. Terent'ev . . . . . 140 134
Electrometer Amplifier of the Modulator—Demodulator Type — A. E. Zelinin . . . . . 142 136

Adjustment of an Electron Magnetic Spectrometer — I. N. Shabanova, V. P. Sapozhnikov, V. Ya. Bayankin, and V. G. Bragin . . . . . 144 138

## Volume 24, Number 1, Part 2 January-February, 1981

ELECTRONICS AND RADIO ENGINEERING

Linear Scan Generator for Magnetic Resonance Spectra — L. L. Dekabrun, Yu. N. Kil'yanov, and D. A. Moskalev. . . . . 147 141

Switched Receiver and Transducer for an NMR Spectrometer Covering the 0.5-10-MHz Range — V. I. Privalov and V. P. Tarasov . . . . . 148 142

Simulator for Video Pulse Signals with Specified Envelope Form — B. E. Ryshchar. . . . . 152 145

Submillimeter Waveguide Laser Interferometer for Plasma Diagnostics — V. A. Epishin, N. G. Pokorkyakho, V. A. Svich, A. N. Topkov, A. S. Urinson, and D. N. Yundev . . . . . 155 149

High-Resolution Interferometer for Low-Temperature Plasma Diagnostics — A. A. Lisitskaya and E. G. Shustin. . . . . 158 151

Scanning Resonance Quasioptical Millimeter Wave Polarimeter — A. A. Vertii, I. V. Ivanchenko, and V. P. Shestopalov . . . . . 162 155

3-cm Waveguide Components in Waveguide of Narrow Cross Section — V. M. Pudalov . . . . . 165 158

A Control-Signal Photoreceiver — V. G. Varzar and I. M. Gavrilov . . . . . 168 160

Simultaneous Recording of the Readings of Two Digital Measuring Instruments with the Shch68000K Printing Instrument — V. M. Pudalov, S. G. Semenchinskii and A. K. Yanysh. . . . . 169 161

Recording of Data Readings from Several Counters on One Indicator — S. U. Klimovich and G. S. Zolotareva. . . . . 171 164

Circuit for Exciting a Combined Discharge in Gaseous Media — Yu. I. Bychkov, V. V. Osipov, and V. A. Tel'nov . . . . . 173 165

Low-Inductance Charge Accumulator for Superstrong Magnetic Field Pulses Yu. N. Bocharov, S. L. Zaients, P. G. Popov, E. L. Litvinova, A. I. Kruchinin, G. S. Kuchinskii, and G. A. Shneerson. . . . . 175 167

GENERAL EXPERIMENTAL TECHNIQUES

Dynamic Astigmatism during High-Velocity Deflection of an Electron Beam — V. A. Miller, B. D. Smolkin, and B. M. Stepanov . . . . . 178 170

Electrooptical Method of Measuring High-Voltage Pulses — A. N. Georgobiani, L. N. Ivanov, Yu. N. Kuzemchenko, P. A. Todua, and E. F. Shestakova . . 181 172

Planar Magnetic Discharge Manometer — V. N. Pakulin. . . . . 184 175

Time Characteristics of Magnetic Discharge Manometric Transducers — A. M. Grigor'ev, A. I. Fursov, and I. F. Khanina. . . . . 186 177

Formation of Dielectric Films on the Electrodes of the Ion Source of a Mass Spectrometer — V. N. Filatov, A. A. Sysoev, and O. V. Morozov. . . 188 179

Vacuum Spectrophotometer with Recording in the Single-Pulse Mode — N. G. Gerasimova and V. G. Bogdanov . . . . . 191 182

Tuning and Control of Optical Mixing Spectroscopy Setups — V. I. Kalechits, P. P. Poluéktov, and Yu. G. Rubezhnyi . . . . . 193 184

Electrodynamic Drive with Pneumatic Sliding Bearing for a Rapid-Scanning Fourier Spectrometer — V. V. Arkhipov . . . . . 196 186

Operating Experience with Commercial VMS-1 Spectral Instrument and Its Modernization — N. G. Gerasimova and V. G. Bogdanov . . . . . 198 188

Design of Optical Devices Using Multiply Reflected Light Fluxes — M. E. Globus. . . . . 200 190

Photodetection Device with Enhanced Resistance to Background Illumination — B. S. Nikonov, M. A. Trishenkov, and S. D. Okun' . . . . 201 191

Measurement of the Amplitude-Frequency Characteristics of Photodetectors by the Method of Optical Heterodyning in the Fast Frequency Scanning Mode — G. N. Zmievskoi, E. V. Stepanov, and M. V. Sednev. . . . . 206 196

Photoemission Pyrometer — K. N. Kasparov and A. I. Terpilovskii. . . . . 208 198

Contrast-Frequency Characteristic of Luminescent Screens for Recording Infrared Radiation — L. M. Klyukin, V. A. Namiot, and M. V. Senashenko. . . . . 212 201

| | | |
|---|---|---|
| Apparatus for Low-Temperature Spectral Investigations in Strong Pulsed Magnetic Fields — B. M. Kharlamov, N. I. Ulitskii, A. M. Pyndyk, V. B. Podobedov, and R. I. Personov. | 215 | 204 |
| Equipment for Measuring Magnetization in Intense Pulsed Magnetic Fields — S. Yushchik and S. Kubiak. | 220 | 207 |
| Production of a Stable Magnetic Field of 1-10μT — A. N. Kozlov, Yu. V. Nikitenko, A. B. Roganov, and Yu. V. Taran. | 223 | 210 |
| Superconducting Screen-Filters for Low- and Infralow-Frequency Magnetic Fields — V. I. Sheremet, S. I. Bondarenko, and E. N. Til'chenko | 226 | 213 |
| Multipole Magnetic Standard for Calibrating Harmonic Induction Magnetic Field Probes — M. A. Voevodin, A. D. Kovalenko, N. A. Korukov, and Yu. I. Tikhomirov. | 228 | 215 |
| Vibration Magnetometer with a Balancing Circuit for the Coils and Frequency Doubling — L. K. Panina. | 231 | 218 |
| Upgrading of the Shl-1 Magnetic-Induction Meter — A. Ya. Laptienko, A. A. Glushchenko, N. N. Karagai, and V. V. Permyakov. | 234 | 220 |
| Demountable Electron-Ion Microscope — M. P. Ardashev, A. O. Golubok, N. F. Fedorov, O. P. Sharkova, and A. L. Shelankov | 236 | 222 |
| High-Voltage Unit of a Three-Electrode Short-Pulse X-Ray Generator — N. V. Belkin, L. N. Khudyakova, V. V. Bogolyubov, and M. Yu. Tarakanov | 238 | 224 |
| X-Ray Spectrometer for Examining Structural Defects in Single Crystals — V. D. Skupov | 240 | 225 |
| Improved Aperture in an Iogansson X-Ray Fluorescence Spectrometer — K. V. Anisovich and N. I. Komyak | 242 | 228 |
| Slitless X-Ray Collimator — T. A. Mingazin, V. I. Zelenov, and V. N. Leikin | 244 | 229 |
| X-Ray Refraction in Lattice Deformation Assessment — V. D. Skupov | 247 | 232 |
| Effects of Optical Feedback on the Characteristics of an X-Ray Image Intensifier — T. A. Arkhipova, V. P. Beguchev, V. G. Vygon, G. Z. Kushchova, A. A. Shamanov, and F. B. Yakovleva | 250 | 235 |
| Apparatus for Examining Transient Processes in a Semiconductor Field-Emission Device — R. Z. Bakhtizin and V. I. Il'in. | 256 | 240 |
| Apparatus for Examining Electronic Energy Transport between Excited States in Donor-Acceptor Systems — K. I. Salokhiddinov, E. I. Sagun, E. I. Zen'kevich, and G. P. Gurinovich | 258 | 243 |
| Parameter Measurement for p-Si during Li Drift Compensation — V. A. Kostin, N. E. Mazurik, and A. K. Pustovoit | 260 | 245 |
| Technique for Determining the Refractive Index of Semiconductors and Dielectrics — N. K. Kiseleva and B. T. Kolomiets | 263 | 248 |
| Meter for Measurement of Dielectric Surface Charge Density — R. Z. Bakhtizin, S. S. Gots, and B. K. Sushko. | 266 | 250 |
| Torsion Scale for Measurement of Small Gravitational Field Gradients — V. I. Panov and V. N. Frontov. | 269 | 253 |
| LABORATORY TECHNIQUES | | |
| Use of Quartz Resonators for Determining the Characteristics of a Plasma Jet in Spraying Setups — O. A. Zhuravlev and A. I. Fedosov. | 272 | 256 |
| Electron Vaporizer — A. V. Zats, V. V. Mozgin, S. M. Khazan, V. G. Granovskii, and T. I. Peregon. | 275 | 258 |
| Sealing for Transmission of Rotation to High-Temperature Vacuum Chambers — M. D. Tyavlovskii and V. Yu. Serenkov. | 277 | 260 |
| Two-Channel Vacuum Meter with Digital Display — S. I. Edneral, E. A. Startsev, and B. I. Tsirkel' | 279 | 262 |
| Coaxial Shunt — S. A. Vinitskii, V. I. Kulakov, and Yu. A. Tverdov. | 281 | 264 |
| Nitrogen Liquid-Vapor Refrigerator for Spectral Studies — Yu. G. Nadtochii and N. A. Chumaevskii. | 282 | 265 |
| Laboratory Setup for Designing a Laser Probe — M. R. Merkin, V. A. Lavrenyuk, V. K. Kostin, and V. I. Yulish. | 285 | 268 |
| Scanning Device for Optical Instruments — T. E. Pisareva and V. N. Puchkov. | 286 | 269 |
| Device for Stabilizing Rate of Rotation of a Motor in a High-Speed Photoregister — S. P. Dashuk | 289 | 271 |

| | Engl./Russ. | |
|---|---|---|
| Electronic Registration Equipment in CAMAC Standard (Survey) — S. G. Basiladze. | 291 | 7 |
| NUCLEAR EXPERIMENTAL TECHNIQUES | | |
| Generator of Relativistic Electron Beams of Nanosecond Duration — S. Ya. Belomyttsev, A. A. Kim, N. G. Kolganov, Yu. A. Kotov, V. I. Koshelev, K. N. Sukhushin, and M. N. Timofeev. | 309 | 22 |
| Multibeam Heavy Ion Accelerator with Phase-Variable Focusing — V. V. Kushin, B. P. Murin, and P. A. Fedotov | 312 | 25 |
| Modernized NG-200U Neutron Generator for Studying Radiation-Stimulated Diffusion of Impurities in Semiconductors — S. B. Alekseev, O. F. Afonin, and V. V. Kozlovskii | 315 | 28 |
| Fast Matched Pulsing Magnet — V. A. Vizir', N. A. Lashchuk, R. A. Meshcherov, V. S. Rybalko, and V. P. Shcherbinin | 318 | 30 |
| Low-Temperature $H_2$—$^4$He and $H_2$—$^3$He Targets for Use in Electron Beams — V. A. Gol'dshtein and V. V. Lubyanyi | 321 | 33 |
| A Spectrometer for Studying the Channeling of 8.4-GeV Protons in Single Crystals — A. S. Vodop'yanov, V. V. Avdeichikov, M. D. Bavizhev, N. K. Bulgakov, S. A. Vorob'ev, I. Wojtowska, W. M. Gibson, N. N. Govorun, V. M. Golovatyuk, Z. Guzik, A. F. Elishev, L. G. Efimov, R. Zelazny, I. M. Ivanchenko, R. B. Kadyrov, N. N. Karpenko, R. A. Carrigan, Ik-Dzho Kim, G. D. Kovalenko, V. V. Koren'kov, A. P. Kryachko, T. S. Nigmanov, G. N. Pleshkov, V. D. Ryabtsov, V. N. Sadovnikov, Ch. R. San, A. E. Senner, B. Sitar, B. M. Starchenko, V. A. Sutulin, T. E. Twig, I. A. Tyapkin, D. V. Ural'skii, G. Phelps, N. A. Filatova, A. Forycki, É. N. Tsyganov, M. D. Shafranov, and B. I. Shramenko | 324 | 36 |
| Measurement of the Energy of Negative Pions with a Multilayer Semiconductor Spectrometer — M. G. Gornov, Yu. B. Gurov, S. V. Lapushkin, A. S. Lukin, P. V. Morokhov, K. O. Oganesyan, B. P. Osipenko, V. A. Pechkurov, A. P. Pichugin, A. K. Ponosov, S. Yu. Porokhovoi, F. M. Sergeev, and A. L. Kholmetskii. | 330 | 42 |
| Technique of Mössbauer Spectroscopy of $^{121}$Sb with a $^{121}$Te Source — A. K. Avenirov, S. I. Bondarevskii, and S. A. Timofeev | 337 | 49 |
| A Multichannel System for Measuring the β-Activity Distribution in the Collector of a Mass Separator — V. A. Karnaukhov, V. D. Kuznetsov, L. A. Petrov, V. V. Popov, M. I. Fominykh, V. I. Fominykh, and V. M. Tsupko-Sitnikov. | 339 | 50 |
| Photographic Recording of Tracks in a Streamer Chamber — M. M. Zhuk, V. P. Protasov, and V. M. Ulanov | 343 | 54 |
| Separating Short-Range Protons and α Particles in a Relativistic Nuclear Emulsion — A. O. Vaisenberg, E. A. Pozharova, and V. A. Smirnitskii. | 345 | 56 |
| Time-of-Flight Scintillation Telescope with Logic Sampling Circuit — D. Yu. Akimov and Yu. D. Kotov | 347 | 58 |
| Design Features of Si(Li) Detector Blocks — V. P. Gimanov, V. I. Zakharchenko, D. A. Goganov, A. G. Siukhin, M. Ts. Binunskii, and E. N. Mochulov | 351 | 61 |
| Assessing the Phosphorescence Generated in NaI(Tl) after Excitation by Betatron Bremsstrahlung — V. G. Volkov. | 355 | 65 |
| Detector of γ Quanta and Electrons of a 90-Channel Cherenkov Mass Spectrometer — R. G. Astvatsaturov, V. A. Kramarenko, A. I. Malakhov, G. L. Melkumov, and M. N. Khachaturyan | 358 | 67 |
| Using a Laser Generator of Neutrons in Investigations and Calibrations of Detectors for Pulsed Neutron Fluxes — M. V. Kirillov-Ugryumov, K. I. Kozlovskii, V. K. Lyapidevskii, V. A. Prorvich, and A. S. Tsybin | 362 | 71 |
| Influence of the Collection of Light in Hollow Lightguides with an Internal Mirror Coating upon the Time Resolution of Pulsed Cherenkov γ Detectors — G. D. Belousov, V. L. Buryakov, I. M. Egelev, and O. V. Kozlov. | 365 | 73 |

Dosimetric Characteristics of LiF Thermoluminescence Detectors Made with the Technique of Recrystallization Compression Molding in Vacuum — A. V. Oborin, V. I. Fominykh, F. K. Volynets, and V. A. Demidenko . . . . . 368 76

EXPERIMENTAL APPLICATION OF COMPUTER TECHNIQUES

Data Acquisition System for "Gneis" Neutron Time-of-Flight Spectrometer — A. A. Afanas'ev, V. P. Grigor'ev, V. V. Marchenov, Yu. V. Tubol'tsev, and O. A. Shcherbakov . . . . . 373 80

Generator of Standard TV Synchropulses for Video-Monitoring Systems — T. S. Suleimanov and B. I. Ismailov . . . . . 375 82

Portable Logic Analyzer — E. D. Baran, E. N. Miroshnikov, V. I. Rabinovich, A. V. Khudomyasov, and A. A. Chaika . . . . . 377 84

Device for Coupling a Digital Voltmeter to a Minicomputer — B. K. Kulidzhanov . . . . . 381 89

ELECTRONICS AND RADIO TECHNIQUES

System for Actuating and Synchronizing a Streamer Chamber Setup — Yu. M. Arkatov, P. I. Vatset, V. I. Voloshchuk, V. A. Zolenko, and I. M. Prokhorets. . . . . 384 91

Method for Measuring Energy Distribution of Emission Electrons Using an Amplitude Analyzer and Inverse Function Generator — O. M. Sorokin. . 387 93

Reducing the Sensitivity Threshold of an SCh-27 Spectral Analyzer in the 26-37.5-GHz Frequency Range — N. M. Abramov and N. M. Mal'kov. . 390 96

Registration of High-Voltage Pulses with Subnanosecond Resolution — T. V. Loiko, S. L. El'yash, and N. I. Kalinovskaya. . . . . 392 98

Counters with Adjustable Scaling Factor — G. A. Kozin. . . . . 394 100

Nanosecond Pulse-Amplitude Discriminators Based on Avalanche and Power MDS Transistors — V. P. D'yakonov . . . . . 397 103

A Highly Sensitive Differential Pulse Discriminator — V. I. Karas' . . . . . 399 105

A Multidimensional Sensor Number–Code Converter with Data Selection and Compression — M. I. Skopyuk and V. A. Shevchenko. . . . . 401 106

A Code–Frequency Converter — É. O. Movsesyan . . . . . 404 110

Time–Digital Code Converter Unit — A. A. Silaev and O. A. Silant'ev. . . . . 406 111

Unijunction Transistor Pulse Amplitude to Pulse Number Converter — I. I. Obod. . . . . 408 113

Fast Converter of Low Resistance into a Pulse Period — S. A. Karavaikin and V. M. Frolov. . . . . 410 115

Four-Bit to Seven-Segment Decoder for Displaying Hexadecimal Characters — S. I. Gustokashin and B. P. Shcherbakov . . . . . 412 117

Generators of Reversible Count Pulses from Quadrature Pulse Sequences — I. D. Vol'vovskii . . . . . 414 119

A High-Power Thyratron Generator of Nanosecond Pulses Based on a Strip Line — V. A. Vizir', N. P. Larina, N. A. Lashuk, R. A. Meshcherov, V. S. Rybalko, and V. P. Shcherbinin. . . . . 416 121

A High-Voltage Pulse Generator with an Extended Zone of Stable Operation — A. P. Komarov, Yu. P. Pichugin, and I. N. Romanenko . . . . . 419 124

A Generator of Pulses for Energizing a Laser Based on Copper Vapors — O. G. Bespalov, S. T. Latushkin, A. I. Nastyukha, and L. I. Yudin . . 422 126

A Generator of Powerful Pulses of Voltage with a High Recurrence Rate — L. G. Koshcheev . . . . . 424 128

Volume 24, Number 2, Part 2 March-April, 1981

ELECTRONICS AND RADIO ENGINEERING

A Binary Pulse Generator Based on Integrated Circuits — M. I. Skopyuk and V. A. Shevchenko . . . . . 427 131

A Pseudorandom Binary Number Generator — V. I. Popova and S. V. Tyurin. . 429 133

A Numerical Scan for a Dissector Tube — S. A. Gubkin, V. A. Mikhailov, and A. N. Kuchin . . . . . 431 135

A High-Speed Scanning Generator Based on Avalanche and Power MIS Transistors — V. P. D'yakonov. . . . . 433 136

A Pulse Former with Controlled Delay in the Nanosecond Range — S. G. Basiladze and Nguen Chi Sha. . . . . 435 138

A Surgeproof Wide-Pulse Former for Controlling High-Power Thyristors — A. V. Cherkashin and A. I. Tarasenko . . . . . 439 142
Precision Integrated Circuit Linear Switch — V. V. Butskii, S. S. Vetokhin, and I. V. Reznikov . . . . . 441 144
Pulse Amplifier for Multichannel Systems — D. F. Zaitsev, G. F. Zverev, V. S. Laevskii and Ya. L. Khlyavich. . . . . 443 146
Instrumentation Amplifier — A. I. Antonevich, V. V. Butskii, S. S. Vetokhin, and A. M. Sarzhevskii. . . . . 444 147
High-Stability Low-Noise Electrometer Preamplifier — A. S. Nagaikin and V. P. Masyagin . . . . . 445 148
Oscilloscope Attachment for Multichannel Display of Digital Signals — Yu. A. Khaikin . . . . . 447 150
Low-Temperature Autodyne for NMR Magnetic Field Measurements — Yu. V. Zakharov, I. N. Kvitko, and V. I. Raitsis . . . . . 448 151
Pulsed Coherent Nuclear Magnetic Resonance Spectrometer — A. F. Babkin, A. V. Rusanov, and I. V. Guseva. . . . . 450 154
A Facility for Investigating Nonequilibrium Spin States by Electron Spin Resonance — I. Z. Rutkovskii and G. G. Fedoruk . . . . . 454 158
Thrystor—Transistor Voltage Stabilizer — V. A. Filippov, S. M. Chmykhalov, and Yu. M. Belyaev . . . . . 456 160
Stable Sine-Wave Source — V. D. Korovin and S. M. Vovk. . . . . 458 161

GENERAL EXPERIMENTAL TECHNIQUES

A Duoplasmotron for Obtaining Carbon Ions — É. F. Chaikovskii, V. M. Puzikov, and A. V. Semenov . . . . . 460 163
A Sensor for Measuring the Transverse Velocities of the Ions of a Plasma Emitter — G. V. Roslyakov. . . . . 464 167
Apparatus for Determining the Photodesorption Efficiency of Molecules by a Pulsed Method — R. B. Tagirov, N. A. Zyuzin, N. I. Kuksinskii, and S. A. Paimerov . . . . . 467 170
Calculation on Line Mass Spectra Obtained by Modulation — G. V. Karachevtsev, A. Z. Marutkin, and V. V. Savkin . . . . . 471 173
Ultrahigh-Vacuum Gate and Fast-Demounting Joint Sealed with Fusible Metal — K. D. Danilov. . . . . 474 176
Optoelectronic Device for Study of Processes in the Nanosecond Range — N. K. Kapishnikov, G. V. Lipov, and V. M. Muratov. . . . . 476 178
Anode Sensitivity Control of Photomultipliers with a Reflector Output — A. A. Putilov, B. A. Putilov, B. G. Makarov, and V. V. Georgiev. . . . 478 180
Aftereffect in the FÉU-130 — V. A. Anoshkin, G. G. Petrov, and A. V. Savvin . . . . . 482 183
Subnanosecond Optical Pulse Generator Using Argon Ion Laser — K. N. Bakinovskii, G. N. Baranov, and G. V. Sharonov . . . . . 484 185
Compact High Peak Power Nitrogen Laser — V. S. Arakelyan, A. A. Avetisyan, V. G. Atabekyan, V. M. Mkhitaryan, and V. V. Pakhlavuni . . . . . 486 187
Photodiode Laser Power Meter — S. P. Kalashnikov and A. A. Matsveiko. . . . . 488 189
Liquid Crystal Device for Optical Radiation Control — A. D. Azarov, S. S. Koval', A. V. Malkov, V. V. Mitrofanov, and M. B. Trapeznikov. . . 489 190
Measurement of Differences in Index of Refraction Using a Multibeam Interferometer — V. V. Gorshkov, G. A. Grigor'ev, V. K. Klinkov, and M. A. Meretukov . . . . . 492 192
Tubular Superconductor Pulsed Dipole Magnet with Circulating Cryostatic System — N. N. Agapov, E. I. D'yachkov, A. G. Zel'dovich, V. V. Krylov, V. N. Kuzichev, Yu. V. Kulikov, E. K. Kuryatnikov, L. G. Makarov, P. I. Nikitaev, N. M. Sazonov, A. A. Smirnov, V. V. Stekol'shchikov, and G. G. Khodzhibagiyan. . . . . 496 196
Mechanical Vibrometer — S. Yu. Sakalauskas and A. T. Dobrovol'skis . . . . . 500 200
Sensitive Dilatometer with Capacitive Displacement Detector — S. I. Vasil'ev and V. I. Panov . . . . . 503 202
Setup for Measuring the Field Effect in Semiconductors — M. V. Belous, V. L. Korobanov, B. A. Novominskii, V. A. Novominskii, and S. E. Radinskii . . . . . 506 205
Measurement of Diffusion Length of Current Carriers in Semiconductors Using a Microscopic Electron Probe — A. B. Ormont . . . . . 508 207

Optimum Position of a Concave Crystal Mirror Relative to an X-Ray Macrosource — I. S. Mezentsev, A. A. Khanonkin, and E. K. Sheffer . . . 511 210
Multisectional Gas Counter for Measuring the Spatial Distribution, Polarization, and Spectrum of Ultrasoft X-Ray Radiation — G. D. Bogomolov and V. D. Peskov. . . . . 514 212
A Device for Examining the Luminescence Kinetics of an Object in a Nonstationary X-Ray Field — F. L. Gerchikov, V. D. Kosarev, A. I. Levitin, and S. P. Frumkin. . . . . 523 219
Silicon–Germanium Alloy Detectors for Spectrometry of Hard X-Rays — J. Bacso, G. Kalinka, J. Keleti, N. E. Mazurik, T. I. Pirozhkova, A. K. Pustovoit, and N. Ya. Sedov . . . . . 524 221
A Scanning Radiochromatograph — B. A. Galushkin and V. D. Grishin. . . . . 526 222

LABORATORY TECHNIQUES
Piezoelectric Pressure Gauge — V. A. Artemov and P. I. Nevzorov. . . . . 529 226
A Multiple Specimen Holder for an Electron-Diffraction Camera — L. D. Pokrovskii. . . . . 531 228
Production of Ohmic Point Contacts on $CdCr_2Se_4$ Single Crystals — A. I. Merkulov, S. I. Radautsan, and V. E. Tézlévan . . . . . 532 229
Preparation of Tunnel Junctions on Aluminum Single Crystals — S. I. Dorozhkin . . . . . 534 230
Production of Free Silica Films by Etching — P. A. Pundur and R. V. Érnshteins. . . . . 536 232
A Helium-Cooled Forevacuum Pump — M. P. Larin. . . . . 537 234
Vacuum-Tight Cement Mounting of Optical Windows in Crystals — V. K. Klinkov and Yu. G. Nadtochii. . . . . 539 236
A Generator of Toroidal Plasma Vortices — A. A. Luchaninov, A. M. Rozhkov, N. D. Sereda, and N. P. Sokolov . . . . . 541 237
Measurement of Film Deposition Rates under Vacuum with Two Gauges — P. N. Gol'fenshtein . . . . . 542 239
Measurement of the Local Velocities of Gas Flows at Low Pressures — Yu. D. Akimov, L. A. Kuzinits, L. N. Rozanov, and I. I. Rozentsveig . 545 241
Adjustment of a Gas Laser without the Use of a Photocell — L. N. Popov, B. N. Poizner, and A. V. Voitsekhovskii . . . . . 546 242
Ohmic Contacts on ZnTe — V. P. Gribkovskii, A. K. Belyaeva, V. V. Zubritskii, V. A. Ivanov, and I. A. Kashina . . . . . 548 244
Automatic Stability Checking for a DRON-2 Diffractometer — Kh. K. Saks, and A. A. Khaav. . . . . 549 245
Automatic Reflection Location with X-Ray Diffractometers — D. M. Teplit-skii and Yu. F. Titovets. . . . . 550 246
An Automatic Microbalance Based on an F117 Photogalvanometer — Yu. G. Basin, Yu. A. Grits, V. I. Isachenko, and N. S. Pakhomovskaya. . . . . 552 248
A Sapphire Cold Conductor for Obtaining Intermediate Temperatures — S. Yu. Volkov, B. N. Grechushnikov, B. K. Sevast'yanov, and V. B. Tsvetkov. . . . . 555 251
A Resistance Thermometer Only Slightly Sensitive to the Action of Magnetic Fields — V. A. Cherenkov and V. Yu. Ivanov. . . . . 557 253

## Volume 24, Number 3, Part 1 May-June, 1981

Scintillation Spectrometers with an NaI(Tl) Crystal for Increased Loads (Review) — B. S. Novisov and A. S. Maksimenko . . . . . 559 7

NUCLEAR EXPERIMENTAL TECHNIQUES
A Cyclic Inductive Accelerator of Electrons — M. S. Khvastunov . . . . . 574 20
Study of the Possibility of External Injection in a Microtron — Z. N. Esina, V. M. Kuznetsov, and N. A. Lashuk. . . . . 579 24
Effects Resulting in Intensification of Beams of Synchrotron Radiation — Z. L. Artem'eva, E. M. Moroz, and K. N. Shorin. . . . . 582 27
An Ion Beam Monitor — A. S. Brus, A. I. Velikov, M. A. Kuz'michev, V. A. Klyukovich, and V. K. Khorenko . . . . . 585 29

Fabrication of Drift Chamber Modules for the "Pion" Setup — V. K. Gorbunov, V. A. Krasnov, A. B. Kurepin, K. O. Oganesyan, S. Yu. Porokhovoi, V. P. Pugachevich, V. I. Razin, A. I. Reshetin, D. V. Ural'skii, A. A. Feshchenko, and M. D. Shafranov . . . . . 589 32
Method of the Characteristic Amplitudes of β Spectra Measured with Scintillation Detectors — V. M. Ekkermann . . . . . 593 36
Dependence of the Spectrometric Properties of Scintillation Detectors upon the Energy of Radiation — O. P. Sobornov, N. A. Vartanov, and O. P. Shcheglov . . . . . 597 39
Scintillation Counter with a Recording Efficiency Proportional to the Energy of γ Radiation — A. A. Bergman, A. G. Kolosovskii, S. P. Kuznetsov, A. N. Medvedev, and A. E. Samsonov . . . . . 601 42
Properties of a New Class of Organic Scintillators: Derivatives of Salicyclic Acid — I. G. Mandzhukov, B. V. Mandzhukova, Ts. V. Bonchev, and G. I. Lazarova . . . . . 605 45
Determination of the Relative Efficiency of a Ge(Li) Detector in the Energy Range 0.8-6.1 MeV — A. M. Voitov, I. N. Kastryulin, and V. A. Poyarkov . . . . . 612 51
An α Detector for Studying the (n, α) Reaction in Pulsed Neutron Sources — A. Antonov, A. A. Bogdzel', Yu. M. Gledenov, S. Marinova, Yu. P. Popov, and V. G. Tishin . . . . . 614 52
Use of a Ring Detector in the Technique of Rayleigh Scattering of Mössbauer Radiation — E. É. Gaubman, Yu. F. Krupyanskii, and I. P. Suzdalev . . . . . 620 57
Apparatus for Measuring the Energy Spectra of Scattered Photons in a Bremsstrahlung Beam — B. S. Ishkhanov, V. I. Mokeev, Yu. A. Novikov, and I. M. Piskarev . . . . . 622 59
Method of Studying the Process of Electron–Positron Pair Production in a Bremsstrahlung Beam — V. S. Grishin, B. S. Ishkhanov, A. A. Koptelov, Yu. A. Novikov, and I. M. Piskarev . . . . . 626 62
Resonant Nuclear Scattering in Intensity Measurement for an X-Ray Beam — V. I. Mokeev, E. S. Omarov, and I. M. Piskarev . . . . . 630 66
Choice of Photomultiplier Size in Total-Absorption Counters for High Energies — V. A. Davydov, A. V. Inyakin, D. B. Kakauridze, V. A. Kachanov, G. P. Penier, Yu. D. Prokoshkin, and A. V. Startsev . . 633 69

EXPERIMENTAL APPLICATIONS OF COMPUTER ENGINEERING
Improved Economy in Recent Recording Systems — A. G. Grachev . . . . . 637 72
The Mir-1 Computer in Experiment Automation — N. A. Dogolyubov and V. O. Khandros . . . . . 641 76
Rapid Processing of Mössbauer Spectra with an LP-4900 Multichannel Analyzer — B. M. Gavrilov and B. G. Zemskov . . . . . 644 78
Device for Transfer of Digital Data from an "Astra-NZM" Tape Recorder to a Single-System Computer — N. A. Kryukova, L. T. Kunitsyna, and A. A. Stoyanovskii. . . . . 646 80
Unitary-to-Serial-Binary Code Converter — V. V. Volovskii . . . . . 651 84

ELECTRONICS AND RADIO ENGINEERING
Multichannel Analyzer for Simultaneous Pulses — A. M. Aminev, Yu. I. Kovalev, and A. L. Timofeev . . . . . 653 87
Pump Generator for a Double Nuclear-Quadrupole Resonance Spectrometer to Irradiate Quadrupolar Nuclei — V. P. Anferov and V. M. Mikhal'kov . . 656 89
Anticoincidence Circuits for Operation at High Detector Loads — B. Yu. Baldin, A. I. Ronzhin, Z. V. Krumshtein, and Z. Tsisek . . . . . 658 91
Method for Increasing the Accuracy of the Time-of-Flight Method with Random Actuation of the Detector — P. P. D'yachenko, V. S. Nesterenko, and V. M. Piksaikin . . . . . 664 95
A Precision Platform Digital Control System — V. N. Govorun, V. I. In'shakov, and E. A. Ustinov . . . . . 668 99
A Two-Channel Analog Storage Device for Slowly Varying Signals — E. I. Ponkratov . . . . . 672 102
Start–Stop Time–Amplitude Converter with High Permissible Count Rate — A. P. Degtyarev, T. V. Makhrinskii, and V. A. Shevchenko. . . . . 674 104
A High-Speed Parallel–Series Analog–Digital Converter — A. P. Gorshkov and I. K. Krylov . . . . . 676 106

Noise-Immune Pulse Shaper for Matching with the Input of a Multichannel Amplitude Analyzer — A. V. Balykin, A. F. Babkin, O. G. Potapov, and A. S. Yagunov . . . . . 681 109
Integrating Voltage–Time and Current–Time Converter — A. B. Andreev, Yu. M. Krysin, and V. M. Frolov . . . . . 684 111
Generator of High-Current High-Voltage Pulses with Pulse-Top Stabilization — V. Ya. Savkin . . . . . 688 115
High-Power High-Voltage Pulse Transformer — S. S. Vdovin . . . . . 690 116
Subnanosecond Shunt-Attenuator Based on Segments of Long Lines — K. A. Zheltov, V. I. Matakov, and V. F. Shalimanov . . . . . 693 119
Automated Module for Measuring and Recording Single High-Speed Processes — T. V. Zmorovich, O. M. Kudelko, S. E. Radinskii, and V. M. Slobodyan . 696 121

## Volume 24, Number 3, Part 2 May-June, 1981

ELECTRONICS AND RADIO ENGINEERING
Low-Induction 12 kJ Universal Capacitor Module — V. A. Burtsev, G. M. Makeev, and V. F. Prokopenko . . . . . 699 124
A High-Power Nanosecond Video Amplifier in a Voltage Addition Scheme — A. N. D'yachko and L. I. Babak . . . . . 702 127
Wideband Power Amplifier Using Bipolar and MOS Field Effect Transistors — V. P. D'yakonov . . . . . 705 130
Wideband Voltage Amplifier for Nuclear Magnetic Resonance Pulse Spectrometers — O. D. Vetrov . . . . . 707 132
Magnetic Field Stabilizer for Nuclear Magnetic Resonance Pulse Spectrometers — L. N. Erofeev, V. P. Tarasov, and B. A. Shumm . . . . . 709 133
Apparatus for Measuring Low-Frequency Noise of Field-Emission Cathodes — R. Z. Bakhtizin and S. S. Gots . . . . . 711 136
Photocurrent Relaxation Time Constant Meter — V. M. Zykov and N. T. Yunda . . 714 138
Digital Bias Voltage Controller for Semiconductor Detectors — D. A. Gladyshev, V. L. Kasatov, and B. N. Li . . . . . 715 140
Digital Variable Bilateral Threshold Generator — A. I. Grakov . . . . . 717 142
Current Regulator — O. V. Andreev, A. N. Karmadonov, and N. I. Yagushkin . . 719 144
Universal Power Supply with Transformerless Input — S. I. Marusov . . . . . 720 145

GENERAL EXPERIMENTAL TECHNIQUES
High-Perveance Electron Gun with Beam Power to 0.5 kW — N. S. Zinchenko and V. A. Sokolova . . . . . 724 149
High-Voltage Electron Source with Plasma Emitter for Forming Beams with a Large Cross Section — N. V. Gavrilov, B. M. Koval'chuk, Yu. E. Kreindel', V. S. Tolkachev, and P. M. Shchanin . . . . . 727 152
Cold Beams of Hydrogen Atoms — E. N. Evlanov, Yu. V. Lebedev, and V. B. Leonas . . . . . 730 155
Stroboscopic Unit for Studying the Shape of Single-Pulse Photomultiplier Pulses — L. V. Viktorov, K. N. Giniyatulin, and A. S. Shein . . . . . 733 158
Use of the FÉU-49 Photomultiplier in the Single-Electron Mode — A. V. Kulikov and S. V. Trusov . . . . . 737 161
Distinctive Features of Time Responses of FÉU-100 Photomultipliers — S. S. Vetokhin, I. R. Gulakov, A. P. Nechai, and I. V. Reznikov . . . . . 740 163
Effect of Illumination Spectrum on Single-Electron Pulse-Height Distribution of the FÉU-100 Photomultiplier — V. I. Antonov, V. P. Bobrovich, S. S. Vetokhin, I. R. Gulakov, and I. V. Reznikov . . . . . 743 166
Effect of External Electrostatic Shield on the FÉU-130 Photomultiplier's Characteristics — V. A. Anoshin and G. G. Petrov . . . . . 745 168
Method of Subtracting Internal Noise of Photomultipliers — M. E. Shishkov and I. E. Zalesskii . . . . . 747 169
Change of Channel Electron Multiplier Parameters with Aging — N. M. Shyutte, A. I. Puolokainen, G. I. Volkov, and V. F. Kopylov . . 749 172
High-Temperature Ion Source for the MI-1201 Mass Spectrometer — A. F. Novozhilov, V. I. Belousov, V. V. Murav'ev, and I. V. Matveev . . . . . 752 175

Atomic-Oxygen Analyzer with Semiconductor Sensors for Researching the Upper Atmosphere of the Earth — A. I. Livshits, É. E. Gutman, I. A. Myasnikov, V. M. Fursa, V. I. Padeev, Yu. A. Romanovskii, and E. I. Kriman . . . . . 754 177
Recording Remote Fine Structure in X-Ray Absorption Spectra with the DRON-2.0 Diffractometer — Yu. A. Babanov, V. R. Galakhov, N. V. Ershov, and A. I. Matskevich . . . . . 758 181
Controlled Amplifier for a Modulation Spectrophotometer — K. P. Kureichik . . 761 183
Far-Infrared Michelson Interferometer with a Step Drive Operating on Line with a Computer — E. A. Vitvinin, G. E. Ivannikova, F. F. Igoshin, A. P. Kir'yanov, and P. N. Novoselov . . . . . 764 186
Stabilization of the Passband of a Fabry–Perot Interferometer Using Laser Radiation — T. P. Mikhailova, L. A. Sakaeva, Yu. A. Fedorov, V. I. Bobrik, and A. K. Toropov . . . . . 766 188
Picosecond Neodymium Glass Laser System Assembled from Commercial Lasers — V. V. Blagoveshchenskii, G. Yu. Senyushkin, Yu. G. Zhukovskii, and V. E. Kholmogorov . . . . . 769 191
Laser Doppler Rate Meter with an Electronic Signal-Recording System — V. P. Ivanov, V. A. Blokhin, V. V. Babenko, and L. F. Kozlov . . . . . 770 192
Solenoid of Higher Reliability for Long Pulses of a 50 T Field — A. S. Lagutin and V. I. Ozhogin . . . . . 773 195
Superregenerative Magnetic-Field Sensor Controlled by Nuclear Magnetic-Resonance Signal — A. A. Savitskii and I. I. Nedbal'skii . . . . . 776 197
Inertial Energy Store for Producing High-Energy Electrical Pulses — V. N. Kunin, V. V. Porozhkov, and M. V. Sergeeva . . . . . 777 199
Use of a PMT-3 Microhardness Tester in Making Josephson Bridges — Yu. I. Latyshev. . . . . 780 201
Small-Volume Differential Manometer for Ultrasonic Velocity and Absorption Measurements — A. P. Sarvazyan and D. P. Kharakoz . . . . . 782 203
Improved Electron-Optical System for the RÉM-200 Scanning Electron Microscope — V. I. Udal'tsov, V. D. Kushkov, and I. S. Kozlov . . . . . 786 206
An X-Ray Collimator — V. N. Leikin, T. A. Mingazin, and V. I. Zelenov . . . . 788 208
Axial Spectrometer for Reverse Compton Scattering — V. E. Rad'ko, A. D. Mokrushin, and I. V. Razumovskaya . . . . . 790 210
Automated Equipment for Measuring the Galvanomagnetic Characteristics of Low-Resistance Semiconductors in High Electric Fields — V. S. Radchenko . . . . . 795 215
Brightness Evaluation of an Object in the Infrared Range with an LED — A. G. Kruusing, K. Ya. Rumma, and A. S. Bryukhanov . . . . . 797 217

LABORATORY TECHNIQUES

Simple Exposure Timer Based on an Élektronika B3-18A Computer — L. Ya. Ginesskii, S. A. Shein, and A. S. Karasik . . . . . 800 219
Producing Two-Speed Operation of Induction Motors for Recorders — V. N. Ordinartsev, V. N. Faminskii, and O. S. Shvedov . . . . . 801 220
Photoelectric Transducers of Markers for Spectrophotometers — G. B. Pukinskas . . . . . 804 223
Refractometric Method of Measuring Planar Waveguide Parameters — V. E. Khomenko, A. A. Lipovskii, and N. A. Aleksandrov . . . . . 805 224
Thermal Chamber for Spectral Investigations — V. G. Balenko and V. V. Yurchev . . . . . 807 226
Pulsed Gas-Flow Regulator for a Streamer Chamber — N. S. Glagoleva, E. A. Dement'ev, A. T. Matyushin, and V. T. Matyushin. . . . . 809 227
Probe with Semiconductor Target for Investigating Electron Beams — A. D. Sushkov and G. I. Dmitriev . . . . . 811 230
Microwave Device for Measuring Thickness of Films on Low-Ohmic Substrates — Yu. E. Gordienko, Yu. I. Gud, Yu. A. Dudkin, G. V. Zhukov, V. P. Nikitskii, and V. V. Starostenko . . . . . 813 231
Conducting Layers of Indium Oxide Doped with Tin — B. P. Kryzhanovskii and E. N. Orel . . . . . 816 234
Setup for Electrophysical Studies of Dielectrics — O. I. Buzhinskii, V. A. Butenko, S. I. Krysanov, V. V. Lopatin, and V. P. Chernenko . . . 819 236
Microthermostat for a Hall Detector — M. Yu. Belyaev and E. Yu. Medvedev . . . . . 821 238

Thermal Stabilizer for a Hall Detector — I. Z. Rutkovskii, G. G. Fedoruk, and A. S. Yakubov . . . . . 822 239
Thermometer with Frequency Output — A. G. Gritchin and S. D. Sozontov . . . . 824 241
Photoelectric Radiation Pyrometer — A. D. Volchek and V. M. Dzhaizakov . . . 825 242
Sensing Element of Strain Gauge Based on the Oscillistor Effect — V. M. Bondar, V. V. Vladimirov, V. P. Doskoch, and A. I. Shchedrin . . . . . 827 244
Temperature Stabilization of Samples at Low Temperatures in an Ultrahigh Frequency Field — A. P. Dem'yanchuk and E. V. Kovalenko . . . . . 830 247
Simple Method for Cooling Samples to 77°K Not Requiring Immersion of Samples in a Cryostat — A. I. Elizarov . . . . . 832 248

## Volume 24, Number 4, Part 1 July-August, 1981

Diamagnetic Suspension and Its Applications (Survey) — V. M. Ponizovskii . . 833 7

NUCLEAR EXPERIMENTAL TECHNIQUES

High-Current Nanosecond Accelerator for the Investigation of Rapid Processes — B. M. Koval'chuk, G. A. Mesyats, B. N. Semin, and V. G. Shpak. . . . . 842 15
Multichannel System of Monitoring Beams of Accelerated Nuclei on the Basis of an Ionization Pickup — V. I. Volkov, I. F. Kolpakov, I. I. Kulikov, and V. M. Slepnev. . . . . 845 18
Spectrometer for Inelastically Scattered Slow Neutrons in the "Fakel" Accelerator — S. N. Ishmaev, I. P. Sadikov, A. A. Chernyshov, and B. A. Vindryaevskii . . . . . 848 21
Wide-Aperture Scintillation Hodoscope-Spectrometer for Studying Low-Energy Pion Reactions — Yu. K. Akimov, I. I. Gaisak, D. Dorchioman, D. Lazarovich, S. I. Merzlyakov, K. O. Oganesyan, E. A. Pasyuk, S. Yu. Porokhovoi, and A. I. Rudenko . . . . . 851 24
Universal Spectrometer for Obtaining Gamma Resonance Spectra of Iron-Containing Materials — N. S. Kolpakov and K. E. Nilov . . . . . 856 29
Electrode Module of the Streamer Chamber of the "RISK" Spectrometer — L. S. Vertogradov, Ya. V. Grishkevich, B. A. Murav'ev, G. Peter, V. I. Petrukhin, D. Pose, H. Tom, A. Schwindt, G. A. Shelkov, and K. Spiring . . . . . 860 32
Chamber Operating between −195 and +800°C for Measuring the Angular Correlation of Two Gamma Radiation Photons by Annihilation — K. P. Aref'ev, S. A. Vorob'ev, and A. A. Tsoi. . . . . 865 37
System of Labelling Bremsstrahlung Photons with Muon Background Suppression — Yu. A. Aleksandrov, S. S. Baranov, A. S. Belousov, N. P. Budanov, Ya. A. Vazdik, B. B. Govorkov, V. V. Kim, V. A. Kozlov, L. M. Kreiskop, V. A. Maishcheev, E. I. Malinovskii, V. V. Pavlovskaya, V. I. Sergienko, Yu. V. Solov'ev, E. I. Tamm, A. M. Frolov, and V. A. Khablo . . . . . 867 39
Two-Target Setup for Investigating the Photoproduction of Vector Mesons — Yu. A. Aleksandrov, S. S. Baranov, A. S. Belousov, N. P. Budanov, Ya. A. Vazdik, B. B. Govorkov, V. V. Kim, V. A. Kozlov, L. M. Kreiskop, E. I. Malinovskii, V. V. Pavlovskaya, B. I. Sergienko, Yu. V. Solov'ev, E. I. Tamm, V. A. Khablo, and L. N. Shtarkov. . . . . 869 41
Investigation of the Time of Light Collection in Cylindrical Scintillators — M. I. Ivanov, A. V. Kil'pio, O. V. Kozlov, A. A. Malyutin, and M. V. Prokuronov . . . . . 871 43
Characteristics of a Scintillation Detector Working with a Current-Stabilized Photomultiplier — V. A. Kolyubin and A. A. Pominov . . . . . 874 46
Measurement of the γ-Counting Efficiency of STS-6 Counters — V. D. Dyatlov . . . . . 877 49
Gas-Filled Optical Neutron Detector — A. B. Dmitriev, V. S. Il'yashenko, A. I. Mis'kevich, B. S. Salamakha, and V. N. Sarylov . . . . . 880 51
Effect of Vertical Dimension of Helium Slow-Neutron Counter on the Efficiency of Neutron Powder-Crystal Diffraction Apparatus — A. Yu. Astapkovich, E. N. Kozlov, and S. E. Tsirkunova . . . . . 885 56

Detector of Controlled Secondary Electron Emission with MgO as Working Medium — A. N. Arvanov, A. G. Akhperdzhanyan, V. G. Gavalyan, R. L. Kavalov, M. P. Lorikyan, Yu. L. Margaryan, and G. G. Petrosyan . . 887 58
Ion-Laser Method of Fabricating Position-Sensitive Detectors — M. V. Kirillov-Ugryumov, R. A. Muminov, V. A. Prorvich, D. K. Khasanov, and A. Ya. Yafasov . . . . . 891 61
Role of Edge "Dead" Zones in the Formation of a Low-Energy Background of Germanium Radiation Detectors — V. V. Shestakov . . . . . 893 64

EXPERIMENTAL APPLICATIONS OF COMPUTER TECHNOLOGY
Measuring and Computing Complex for Multidimensional Experiments Based on Two M-400 Computers — F. N. Berezin, V. A. Kirusin, R. G. Ofengenden, Yu. V. Patlan', S. S. Savrasov, M. A. Shaleiko, and A. M. Shidlyk . . . . . 896 67
Method of Organizing Multicrate CAMAC Systems — P. Khorvat, M. Morgach, and I. Turzo . . . . . 900 71
A Specialized CAMAC-Standard Processor That Sorts Events by Solving Linear Inequalities — S. G. Vasiladze, A. N. Narfenov, and A. V. Pilyar . . . 905 76
Display Drive with Dynamic Storage-Based Refresh — B. Yu. Baldin, V. G. Rybakov, and A. N. Sytin . . . . . 910 81
Device for Inputting Digital Data from Frequency Meters to an "Iskra-123" Computer — A. S. Besedin, V. D. Krasovskii, and V. S. Mal'tsev . . . . 915 86
Interface for Connection of Digital Instruments to a Computer Using the HP-IB Bus — V. I. Kirillov . . . . . 918 89
Data Output from Keyboard Computer to Digital Printer — A. S. Besedin, V. D. Krasovskii, and V. S. Mal'tsev . . . . . 921 92

ELECTRONICS AND RADIO ENGINEERING
Multichannel System for Measuring the Asymmetry in Reactions with Polarized Particles — Yu. P. Antuf'ev, A. S. Deineko, and V. D. Sarana . . . . . 925 96
Apparatus for Measuring the Lifetime of Positrons in Metals — V. D. Zabolotnyi, Yu. P. Antuf'ev, A. I. Popov, V. M. Mishchenko, N. A. Shlyakhov, and V. E. Storizhko . . . . . 928 99
Recording Unit of a Mossbauer Spectrometer with Constant Velocities — V. I. Sinyavskii and I. Yu. Khromov . . . . . 933 103
Signal Processor Based on the Élektronika B3-18 Microcomputer — S. V. Klevtsov, E. A. Putsyato, Yu. P. Firstov, and N. P. Chistyakov. 936 107
Circuit for Control of Seven-Segment Electroluminescent Indicators — Ya. L. Gesin and G. A. Korotkevich . . . . . 938 109
A Multifunctional Converter — I. K. Gerasin . . . . . 940 110
Versatile Integrated-Circuit Function Generator — Yu. A. Klyuev, V. Yu. Pavlenko, and N. S. Tanyanskaya . . . . . 942 112
Frequency Dividers of Variable Division Factor — V. V. Krochakevich . . . . 944 114
A Switch Controlled by a Signal Frequency — A. E. Bozhko, E. A. Lichkatyi, O. F. Polishchuk, and V. I. Savchenko . . . . . 946 116
Fast Pulse-Phase Discriminator — E. P. Vetlugin, A. I. Lavrushev, and T. P. Yartsun . . . . . 949 119
Linear-Gate Device — I. B. Mazurov and Yu. G. Sibiryak . . . . . 952 122
Wide-Band Constant-Current Amplifier — Dzh. K. Parsamyan and M. G. Tokhmakhyan . . . . . 954 124
Stable High-Input-Impedance Voltage Follower — L. I. Volgin and A. I. Zarukin . . . . . 956 126
Eliminating the Effect of Trigger Noise — I. F. Gavrilenko . . . . . 959 128
High-Voltage Pulse Generator for a Low-Resistance Load — A. Yu. Ushakov . . 962 131

Volume 24, Number 4, Part 2 July-August, 1981

ELECTRONICS AND RADIO ENGINEERING
Control System for Firing Parallel Field-Distortion Discharge Gaps — A. I. Gerasimov and E. G. Dubinov. . . . . 965 133
High-Power Subnanosecond Semiconductor Pulse Peakers — I. V. Grekhov, A. F. Kardo-Sysoev, and S. V. Shenderei . . . . . 967 135

Digital Pulse Train Generator for Magnetic Resonance Spectrometers — O. M. Kaplun, G. E. Kibrik, A. S. Kim, and V. A. Klochkov. . . . . 969 137
A Digital Harmonic Generator — N. V. Maslov, V. M. Pochter, and V. P. Prikhnenko . . . . . 972 140
Infralow-Frequency Generators of Triangular Current Pulses — V. I. Danilov, A. A. Popov, and V. S. Khabarov . . . . . 975 142
A Fast Follow-Up Frequency Meter — G. G. Vorob'ev . . . . . 978 145
Synchronous-Detection Meter for Nonlinearity of Current—Voltage Characteristics — N. I. Segeda, S. L. Chernyuk, and V. P. Zinchenko. . . . . 981 148
Equipment for Rotating the Raster of a TV Transmitting Camera — V. I. Shamis, I. S. Serbin, V. V. Korneichuk, and I. S. Zadorozhnyi. . . . . 985 152
Receiver for the Investigation of Fluctuations in Electromagnetic Wave Propagation Intensity and Direction — I. N. Fetisov and A. Yu. Zrazhevskii . . . . . 987 154
Determination of the Direction of the Ellipsoid Axes of the Refractive Index at Microwaves — V. A. Korobkin, Yu. G. Makeev, N. P. Katrich, L. A. Sozonenko, and V. V. Chizhov . . . . . 990 156
Pulse Spectrometer for Millimeter and Submillimeter Ranges — V. M. Naumenko, V. V. Eremenko, and A. V. Klochko. . . . . 993 159
High-Voltage Stabilized Power Supply with an Adjustable Output Voltage — A. P. Koba, I. A. Mikheev, V. M. Ogenko, R. A. Petrenko, and V. A. Yakunin. . . . . 997 162
Powerful Metal-Vapor Pulse Laser Supply Source — A. E. Kirilov, A. N. Soldatov, and V. F. Fedorov. . . . . 1000 165
Gas Laser Discharge Current Stabilizer — V. G. Gudelev, V. M. Kuznetsov, and V. M. Yasinskii. . . . . 1002 167

GENERAL EXPERIMENTAL TECHNIQUES

Gas Discharge Electron Gun Emitting a Beam into a Medium Pressure Gas — V. D. Gitt, D. A. Noskov, L. N. Orlikov, P. I. Ryl'tsev, S. I. Tikhomirov, and E. B. Chikin . . . . . 1005 169
Source of Metal Ions — V. A. Nikitinskii and B. I. Zhuravlev. . . . . 1008 172
Monopole Mass Spectrometer for the Investigation of a Nonstationary Plasma — Yu. I. Chutov, V. N. Podol'skii, and V. Yu. Palkin. . . . . 1010 174
An Ion-Electron Transducer for Registering Weak Ion Fluxes — V. R. Lazarenko, Yu. A. Murav'ev, and L. G. Tokareva . . . . . 1013 176
Stroboscopic Television Apparatus Based on a Superopticon — V. A. Gangardt and A. L. Shalyapin. . . . . 1016 180
Multichannel Photon Counting System for the Registration of Weak Spectra — Yu. G. Vainer, L. P. Malyavkin, É. G. Sil'kis, and V. D. Titov. . . 1019 183
Setup for Studying Single-Electron Characteristics of Photomultipliers — V. I. Antonov and S. V. Kholondyrev . . . . . 1024 187
Spectrophotometer for the 0.6-2.5-μm Region Based on a DMR-4 Monochromator — O. E. Min'ko, A. N. Nabiev, and S. A. Nikiforov . . . 1026 190
Magnetooptical Polarization Modulator of Pulsed Laser Light — A. A. Zhilenis and R. Yu. Krauyalis . . . . . 1028 191
Mode-Locked Laser Pulse Selector — K. N. Bakinovskii, G. N. Baranov, N. N. Shavel', and G. V. Sharonov . . . . . 1029 192
Device for Recording the Decay of a Burst of Light Pulses — E. S. Voropai, Yu. I. Postoyanov, and P. A. Torpachev . . . . . 1032 195
Wide-Range Integrated-Circuit Digital Laser-Power Meter — A. I. Kirillov, V. I. Kishko, and V. F. Morskov . . . . . 1034 197
Wide-Range Photoelectric Detector — R. R. Agishev, G. I. Il'in, and A. N. Pikulev . . . . . 1036 199
Precision Digital Infrared Phasemeter with Laser Emission Frequency Conversion — V. A. Fedoseev, V. V. Kalendin, V. I. Kukhtevich, and V. Ya. Sup'yan. . . . . 1040 203
Subnanosecond Pyroelectric Infrared Detector — V. P. Kuleshov and D. D. Malyuta . . . . . 1043 205
Highly Sensitive Dilatometer with a Bridge Circuit for Measuring Capacitance — E. B. Amitin, Yu. A. Kovalevskaya, and O. A. Nabutovskaya. . . . . 1045 207

Application of a Scanning Electron Microscope for the Investigation of Surface-Acoustic-Wave Propagation — R. Yu. Valatka, V. G. Dyukov, S. A. Ionelyunas, N. I. Kolomeitsev, and L. I. Pranyavichyus. . . . . 1049 211
Small-Angle X-Ray Focusing Chamber for Synchrotron Radiation Analysis — V. B. Savel'ev, P. M. Sergienko, A. A. Vazina, I. G. Fel'dman, and V. B. Khlestov. . . . . 1051 213
Light-Probe Measurement of Electric Field Strength in Dielectrics Charged by Electron Bombardment — S. G. Boev and G. I. Sigaev . . . . . 1054 216
Semiautomatic System for Measuring the Nonequilibrium Capacitance of Semiconductor Structures — N. A. Kislov and G. N. Kokhanchik. . . . . 1058 219
Apparatus for Measuring the Drift Velocity of Ions in Gases — F. P. Demidov and A. B. Prishchepenko . . . . . 1062 223
A Difference Method of Measuring the Lifetime of Minority Charge Carriers in Power Transistors — B. I. Grigor'ev, V. A. Rudskii, and V. V. Togatov . . . . . 1065 226
Measurement of Diode Characteristics during Heating of Electrons by a uhf Field — I. A. Galchenkov, V. V. Kukushkin, V. N. Solyakov, and S. M. Syrovegin . . . . . 1068 228
Measurement of Magnitude of Built-In Field near the Base of a Junction Diode — V. V. Togatov . . . . . 1071 231

LABORATORY TECHNIQUES
Device for Cooling Thin Samples Irradiated by an Intense Electron Beam — B. P. Kashnikov . . . . . 1074 233
Alpha-Radiation Pressure Detector — P. S. Kamenov, D. N. Vasilev, E. I. Vapirev, and L. S. Chak"rova. . . . . 1075 234
System for Discrete Vaporization in a Standard VUP-4 Instrument — M. A. Sevost'yanov, V. I. Kukuev, and Yu. Ya. Tomashpol'skii. . . . 1077 236
Electrooptical Analog Signal Register — V. M. Lekomtsev, V. P. Mikheev, and B. S. Rozov . . . . . 1079 237
Distance-Frequency Transducer — A. D. Samsonenko . . . . . 1080 239
Automatic Recording of Axial Torsional Oscillations — G. A. Gamtsemlidze and M. I. Mirzoeva. . . . . 1082 241
Thermoanemometer for Measuring Small Gas Flow Velocities — A. D. Mamrosov and S. V. Ivashchenko. . . . . 1084 242
Low-Temperature Attachment to X-Ray Diffractometers — A. I. Prokhvatilov and V. V. Prytkin . . . . . 1085 243
Holder for Flat Specimens for an X-Ray Diffractometer — O. K. Kolerov, A. N. Logvinov, V. G. Skryabin, and V. D. Yushin. . . . . 1087 245
Device for Automatic Melting-Point Determination for Crystalline Substances — S. V. Boryukov . . . . . 1088 246
Proportional Temperature Regulator with Phase Control for an Inductive Load — G. A. Ermakov. . . . . 1092 249
Modification to the Heater Unit in the Diapazon Temperature Control — B. K. Alekseev, A. S. Kotosonov, and V. S. Tverskoi . . . . . 1093 250
Indium-Film Resistance Thermometers for Low Temperatures — M. T. Kostyshin and V. S. Kostko. . . . . 1095 252
TVO Carbon Resistors for Temperature Measurements in the Range 4.2-450°K — V. I. Datskov . . . . . 1096 253
Behavior of TSKUM Carbon and KGG Semiconductor Thermometers in a Magnetic Field up to 18 T — M. N. Khlopkin and P. A. Cheremnykh . . . 1098 255

Volume 24, Number 5, Part 1 September-October, 1981

Measurement of Beam Losses in Linear Proton Accelerators and Problems in Diagnostics of Beam Perturbations (Survey) — A. P. Fedotov. . . . 1101 7

NUCLEAR EXPERIMENTAL TECHNIQUES
Heavy-Ion Accelerator for a 1-MeV Energy — V. V. Bezuglyi, M. Yu. Bredikhin, V. F. Zelenskii, B. P. Il'enko, I. M. Neklyudov, and V. K. Khorenko . . . . . 1114 19
Study of a Four-Electrode Multiple-Slit System for Ion-Beam Formation — V. I. Davydenko, G. V. Roslyakov, and N. G. Khavin . . . . . 1116 21

Nanosecond High-Current Electron Accelerator with Stable Energy ~1 MeV — K. A. Zheltov, A. V. Malygin, V. I. Rozov, and V. F. Shalimanov. . 1118 23
High-Voltage Pulse Modulator of INUS-2 High-Current Electron Accelerator — O. A. Gusev, V. G. Kovalev, V. B. Markov, E. M. Mellekh, E. P. Pavlov, O. P. Pecherskii, M. Yu. Polyanskii, and B. A. Stekol'nikov . . . . . 1122 27
A Position Source for a Linear Accelerator — V. I. Artemov, V. A. Vishnyakov, G. K. Dem'yanenko, S. A. Dobromirov, V. M. Kobezskii, F. A. Peev, and A. N. Fisun . . . . . 1124 29
An Ionization Spectrometer for Recoil Nuclei in Research of Elastic Small-Angle Scattering of Hadrons — A. A. Vorob'ev, Yu. S. Grigor'ev, Yu. K. Zalite, G. A. Korolev, E. M. Maev, G. L. Sokolov, and A. V. Khanzadeev. . . . . 1127 31
A Method of Measuring the Left–Right Asymmetry and of Restoring the Polarization of Fast Protons Emitted in Reactions of the Type p + A → p + ... at 640 MeV — N. V. Vlasov, R. Ya. Zul'karneev, N. A. Kuz'min, R. Kh. Kutuev, and Kh. Murtazaev. . . . . 1130 34
Multidetector Neutron Flight-Time Diffractometer in the "Fakel" Accelerator — B. A. Vindryaevskii, S. N. Ishmaev, V. D. Podshibyakin, I. P. Sadikov, M. N. Severov, and A. A. Chernyshov . . . . . 1135 38
Neutron Radiation Monochromators Made from Highly Oriented Pyrographite — A. A. Chernyshov, M. N. Severov, E. I. Neproshin, A. V. Kharitonov, and N. N. Shipkov. . . . . 1139 42
Track Photography in an 8-m Streamer Chamber — N. Z. Anisimova, V. A. Davidenko, V. A. Kantserov, V. G. Rybakov, and S. V. Somov . . 1142 44
System of Parallel Power Supplies for Spark Chambers — S. A. Voronov, S. V. Koldashov, A. A. Moiseev, and A. V. Popov. . . . . 1144 47
A Cylindrical Ionization Chamber for Low-Energy (0.1-3-MeV) γ-Ray Spectrometry — V. V. Dmitrenko, V. N. Lebedenko, A. S. Romanyk, and Z. M. Uteshev. . . . . 1146 49
Analysis of the Instrumental α-Ray Spectrum with Account for the Low-Energy Part of the Response Function of a Semiconductor Detector — A. F. Gurevich. . . . . 1149 51
Isomer-Shift Compensation with Resonance Detectors in Mössbauer Spectroscopy — S. M. Irkaev, V. A. Semenkin, and M. M. Sokolov . . . 1151 53
Characteristics of Elements of Scintillation Hodoscopes with Scintillators up to 7 m Long — Ya. Bem, S. Vyskocil, P. Zawada, Z. V. Krumshtein, E. A Monich, B. A. Murav'ev, A. I. Ronzhin, A. I. Kharchilava, K. Szafarik, and Z. Cisek . . . . . 1153 55
Energy Dependence of the Stopping Power of Polypyromellithimide — I. Ya. Barit, Yu. G. Balashko, L. S. Dul'kova, and V. P. Zavarzina. . . . . 1158 59

EXPERIMENTAL APPLICATIONS OF COMPUTER TECHNOLOGY

System for Registering Data from Drift Chambers — S. G. Basiladze and L. Lokhonyai . . . . . 1162 62
System for Registering Data from Proportional Chambers — S. G. Basiladze and V. K. Yudin. . . . . 1168 68
System for Measuring Nanosecond Pulseforms On-Line with a TRA-1001/i Computer — V. D. Inkin, V. P. Nikolaev, and T. P. Saenko . . . . . 1172 72
Automated System of Mass-Spectrometer Recording with Introduction of Specimens in the Form of a Modulated Molecular Beam — A. F. Dodonov, V. V. Zelenov, V. I. Buchnev, B. V. Kudrov, P. I. Larikov, and V. V. Raznikov. . . . . 1176 75
Interfacing Digital Instruments with the Élektronika B3-21 Calculator — V. I. Sagaidak and Yu. M. Shcherbak. . . . . 1179 78
Analog-Signal Integrators with Memory in a Data-Collection System — V. I. Vinitskii and V. D. Uspenskii. . . . . 1181 80

ELECTRONICS AND RADIO ENGINEERING

Analog-Pulse Correlator Using Industrial Instruments — S. A. Ivanov and V. Yu. Vetrov. . . . . 1183 82
Low-Frequency Spectrum Analyzer of the Correlation Type — V. A. Kaznacheev, I. M. Butenko, G. G. Bunin, K. M. Bykov, and N. M. Zaitsev. . . . . 1186 85

A Method of Measuring Time Distributions — V. P. Kondrat'ev, L. V. Krasnov, and I. G. Yatsyshin . . . . . 1192 90
A Nanosecond Coincidence Circuit — S. G. Basiladze, Nguen Tkhi Sha, and A. N. Parfenov . . . . . 1195 92
An Economical Storage Counter with Serial Readout — V. D. Sibirtsev . . . 1199 96
Device for Converting Parallel Gray Code into a Pulse Sequence — A. I. Gonchar, V. S. Nesterenko, V. A. Fazkullin, P. V. Vyrodov, and A. S. Kruglov. . . . . 1200 98
Linear Pulse Expander for 10-1000-nsec Range — V. I. Osadchii, S. N. Neustroev, and V. Ya. Bashkevich . . . . . 1202 99
A Multiple-Input Circuit for Shaping Pulses from Nuclear Radiation Detectors — B. E. Leshchenko and T. Starichkai . . . . . 1205 102
Generation of Short Periodic Voltage Pulses across a Remote High-Resistance Load — A. N. Bryukhanov, I. G. Larin, S. T. Latushkin, Va. A. Rezvov, and L. I. Yudin. . . . . 1206 104
An Arkad'ev–Marks Generator Producing Nearly Square Voltage Pulses — V. V. Kremnev, L. I. Luchinskaya, V. I. Manylov, and V. N. Shendrik . . . . . 1209 106
A Control Circuit for a Thyristor Discharge Unit — M. I. Aliev, A. Z. Daibov, I. A. Ismailov, and A. A. Kravtsov . . . . . 1212 108
Protection of a Capacitor Energy Store in Condenser Breakdown — A. S. Gasheev, Yu. P. Kuz'michev, A. I. Kucherov, and V. M. Murugov. . . . . 1213 109
Square-Wave Generator — V. V. Govorovich and V. I. Korolev. . . . . 1215 111

Volume 24, Number 5, Part 2 September-October, 1981

ELECTRONICS AND RADIO ENGINEERING
High-Speed Sawtooth Current Generator — V. E. Pribylov. . . . . 1217 113
Controllable Staircase Voltage Generator Using Semiconductor Pentodes — I. I. Obod . . . . . 1218 114
Random Time-Interval Generator — V. S. Batrachenko and G. I. Nepeleva . . . 1220 116
Infralow-Frequency Generator — A. V. Puzakov. . . . . 1221 117
Frequency Divider with a Fractional Variable Division Coefficient — E. P. Vetlugin and T. P. Yartsun . . . . . 1224 119
Hyper-Q Single-Crystal Resonators — A. G. Smagin. . . . . 1227 122
Gyrator Filters Based on Operational Amplifiers — B. V. Semagin and N. A. Faizulin . . . . . 1229 124
Low-Noise Thermostable dc Amplifier — V. I. Goncharov, B. N. Kazak, Y. F. Ruban, and N. N. Rusakov . . . . . 1232 126
High-Speed Electrometer — M. Kh. Anso . . . . . 1233 128
High-Precision Voltage Storage Circuit — V. L. Verman, V. P. Krylov, and I. I. Senechkina . . . . . 1236 130
Analog Memory Circuit — I. B. Mazurov and Yu. G. Sibiryak . . . . . 1238 132
Multichannel Automatic Measuring System for Weak Signals in High-Voltage Circuits — A. Yu. Volkov, S. K. Dimitrov, and A. V. Makhin . . . . . 1242 136
Simple Superheterodyne Radiospectrometer — S. T. Kirillov and Yu. G. Plakhotnikov. . . . . 1244 137
Amplitude-Modulated Frequency Detector for Magnetic Measurements — K. M. Golant . . . . . 1245 139
Pulse Generator for the Investigation of Gunn Diode Characteristics — Yu. V. Vvedenskii and A. A. Khrustalev . . . . . 1247 141
Stabilized Current Supply for Driving Superconducting Solenoids — V. A. Marapulets, I. A. Kulik, and L. G. Oranskii. . . . . 1250 143

GENERAL EXPERIMENTAL TECHNIQUES
Nanosecond Generators of Fast Electron Pulses of Energy up to 500 keV — N. V. Belkin, V. I. Kolesov, and L. N. Khudyakova. . . . . 1253 145
Stabilization of Field Emission Current — N. I. Osipov and I. F. Anaskin. . 1256 148
An Elliptical Electrostatic Reflector for Generating a Beam of Low-Energy Positrons — P. U. Arifov, L. A. Avanov, Sh. F. Ismailov, A. A. Kotov, M. V. Kremkov, N. V. Makov, V. V. Pokrovskii, R. A. Sadykov, and A. V. Shevchenko . . . . . 1258 150

Equipment for Recording Auger Spectra Using a Quasispherical Analyzer — Yu. I. Nardaya, I. M. Ovchinnikov, and K. F. Potapov . . . . . 1261 153
Density Distribution in a Pulsed Beam of Deuterons Collected from the Grid-Fixed Boundary of Plasma — Yu. G. Bessarabskii, S. B. Ovsyannikov, and S. P. Sukhoveev. . . . . 1263 154
Photon-Counting System for Correlation Amplitude Measurements — A. M. Evtyushenkov, Yu. F. Kiyachenko, G. I. Olefirenko, and I. K. Yudin. . . . . 1265 157
Instrument for Measurement of Laser Energy — V. I. Lisichenko and V. A. Chernobai. . . . . 1268 159
Characteristics of Multialkali Photomultipliers with Total Internal Reflection — S. N. Del'nova, V. I. Markov, N. K. Smirnov, and N. A. Krivokul'skaya . . . . . 1269 160
Features of the Single-Electron Characteristics of FÉU-115 Photomultipliers — V. P. Bobrovich, S. S. Vetokhin, and I. R. Gulakov . . . . . 1272 162
Wide-Band Fast-Acting Receiver of Electromagnetic Radiation — V. N. Chernyakov and V. I. Kukhtevich. . . . . 1275 165
Detection of Weak Optical Signals by Silicon Photodiodes — V. D. Ryzhikov, P. E. Stadnik, and Yu. A. Yakovlev . . . . . 1278 167
Apparatus for Measuring Electrooptical Coefficients — A. I. Rukovishnikov and N. A. Morozov. . . . . 1280 170
Automatic Pulsed Digital Polarimeter for Laser Spectroscopy — B. V. Zhdanov, N. I. Sheludev, A. I. Kovrigin, and D. V. Yakovlev. . 1284 173
Investigation of the Geometrical Characteristics of Total Internal Reflection Light Conductors — I. A. Radkevich, A. V. Sin'govskii, and N. G. Tkach. . . . . 1286 175
A Compact Self-Containing Fixed-Pressure Chamber — M. L. Shubnikov. . . . . 1290 178
A Chamber for Studying the Mössbauer Effect at Hydrostatic Pressures up to 17 kbar and Temperatures 78-450°K — I. N. Nikolaev and V. P. Potapov. . . . . 1292 180
A Pulse Generator of Monochromatic X Rays — K. A. Zheltov, V. I. Matakov, A. N. Petrenko, V. F. Shalimanov, and T. V. Chernyaeva . . . . . 1295 183
Stabilization of the Angles in the X-Ray Optics of the DTS-1 Double-Crystal Diffractometer — V. I. Kushnir and É. V. Suvorov . . . . . 1297 185
Sealed-Off Proportional Counters for X Rays in the Region 1.5-13 Å — D. A. Goganov, B. S. Lozinskii, A. P. Ponomarev, K. K. Smirnov, and V. N. Shchemelev . . . . . 1299 187
Dependence of the Gamma of UF-VR Photographic Film on the Wavelength of X Rays — M. A. Mazing, V. V. Mol'kov, A. P. Shevel'ko, and M. R. Shpol'skii . . . . . 1301 188
A Method of Investigating the Current-Voltage Characteristics of Photosensitive Semiconductor Structures — V. A. Manasson and A. I. Malik. . . . . 1303 190
A Circuit for Measuring the Current-Voltage Characteristics of Tunnel Junctions — V. N. Golovinov, S. A. Semiletov, and S. M. Shkornyakov. . 1305 192
Fabrication and Properties of Amorphous As—Te Films — M. D. Bal'makov, M. D. Mikhailov, and I. M. Pecheritsyn . . . . . 1307 193
High-Voltage Device for Measuring Punch-Through Voltages in Semiconductors — V. P. Krylov and G. A. Maslov. . . . . 1309 195

LABORATORY TECHNIQUES

An Updated F250 Transcriber — Yu. N. Nazarov. . . . . 1312 198
A Thermally Stable Schmitt Trigger Device — Z. L. Vintman, V. P. Dubil'er, and V. I. Kompaniets . . . . . 1313 199
Use of the ÉVR-1 Electron Diffraction Camera for Studying Interaction of Electron Beams with Material under Conditions of Reverse Scattering — Yu. D. Kornyushkin and B. N. Smirnov. . . . . 1314 200
Device for Partial Ionization of a Stream of Vaporized Material in High Vacuum — R. N. Gritskevich and V. E. Obukhov . . . . . 1316 201
Vacuum-Sealed Electric Leads in a High-Pressure Chamber — V. A. Sukhoparov and A. S. Telepnev . . . . . 1318 204
The Absorption Cell of a He + Ne/$^{127}I_2$ Laser — Yu. D. Kolomnikov and B. S. Mogil'nitskii. . . . . 1320 205
Determination of Residual Stresses in Boron Fibers — V. P. Efanov and G. V. Makushkina . . . . . 1321 206

Sensitivity of Strain-Gauge Resistors Based on $Al_xGa_{1-x}As$ Variband Films — A. Gritsyus, S. Zhilenis, Ch. Shimkyavichyus, and E. Shimulite . . . 1322 207
Electrolytic Deposition of Lead on a Thin Copper Wire — E. A. Golovanev, V. D. Kalugin, N. M. Lemeshko, and N. S. Opaleva . . . . . 1324 209
A High-Temperature Masking Coating for Making Contacts on Synthetic Diamonds — N. T. Klimenkova, E. O. Prokopchuk, and T. P. Chunosova . . 1326 210
Thermostat for Investigation of Magnetic Susceptibility of Weakly Magnetic Materials — S. F. Konev and V. A. Popov. . . . . 1327 212
A Cryothermostat for Optical Use in the Range 77-400°K — P. A. Askarov, V. V. Evstropov, A. S. Malkin, and Yu. M. Shernyakov . . . . . 1329 214
A Small Flow Cryostat for Spectral and Magnetooptic Use — Yu. E. Stetsenko, G. S. Egiazaryan, A. I. Belyaeva, and V. I. Silaev. . . . . 1331 215
A Thermostatic Cell for Intermediate Temperatures in the Range 4.2-600°K — A. A. Mamalui and A. N. Medyanik. . . . . 1333 217
Low-Temperature Measuring Device — I. M. Vikulin, Sh. D. Kurmashev, V. I. Andreev, V. I. Gin'ko, and O. P. Dem'yanchuk. . . . . 1334 218
1 kA Current Lead-Ins for Superconducting Solenoids Operating in Transportable Dewar Vessel — L. S. Shirshov and G. Énderlein . . . . 1336 220

Volume 24, Number 6, Part 1 November-December, 1981

Methods for Generating and Measuring Pressure in Mössbauer Experiments (Survey) — R. N. Kuz'min and A. A. Opalenko . . . . . 1339 7

NUCLEAR EXPERIMENT TECHNIQUES
Construction and Experimental Characteristics of a Double-Resonator Accelerating System — O. S. Milovanov and I. A. Smirnov . . . . . 1350 17
Time-of-Flight Spectrometer Using Microchannel Plates — A. A. Aleksandrov, N. G. Volkov, Yu. V. Pyatkov, A. M. Tron', S. N. Fedotov, and A. N. Shemetov . . . . . 1354 21
A Method for Determining the Flux and Energy Spectrum of Neutrons Using Deuterium-Titanium and Tritium-Titanium Targets — Yu. A. Nemilov, Yu. A. Selitskii, S. M. Solov'ev, V. B. Funshtein, and S. V. Khlebnikov . . . . . 1356 23
System for Supplying Gas to a Target in Experiments on Muon Catalysis of the (d+t) Nuclear Fusion Reaction — V. M. Bystritskii, V. K. Kapyshev, S. Sh. Mukhamet-Galeeva, L. A. Rivkis, V. I. Satarov, and V. A. Stolupin . . . . . 1360 27
Nonmetal Target Containing Liquid Hydrogen in a Pulsed Electric Field — Yu. T. Borzunov, L. B. Golovanov, A. G. Zel'dovich, V. L. Mazarskii, A. P. Tsvinev, and V. F. Chumakov . . . . . 1363 30
Streamer Chamber for Studying Photoproduction of $\pi^0$-Mesons in Helium — P. S. Anan'in, M. N. Gushtan, G. N. Dudkin, A. V. Pirogov, and V. N. Stibunov . . . . . 1368 34
A 5-m Streamer Chamber — A. K. Dzhavrishvili, T. A. Lomtadze, Z. Sh. Mandzhavidze, A. I. Kharchilava, and A. Yu. Shtaerman. . . . . 1371 37
System Consisting of Two-Coordinate Cylindrical Proportional Chambers with a Resistive Cathode — V. B. Golubev, A. N. Peryshkin, I. Yu. Red'ko, and S. I. Serednyakov . . . . . 1373 40
Instrument for Measuring Concentration of Electronegative Impurities in Liquid Argon — B. A. Bobrov, E. A. Kushnirenko, and V. S. Panin . . . . . 1377 43
Calculation of Accuracy of Time Recording by Si(Li)-Detectors — V. P. Kondrat'ev and L. V. Krasnov . . . . . 1379 45
Spontaneous Scintillation Counter for Registration of Antineutrino Fluxes from Collapsing Stars in the Milky Way and Study of High-Energy Muon Interactions — V. I. Beresnev, R. I. Enikeev, G. T. Zatsepin, V. B. Korchagin, P. V. Korchagin, A. S. Mal'gin, O. G. Ryazhskaya, V. G. Ryasnyi, V. P. Talochkin, A. A. Chudin, and V. F. Yakushev . . . . . 1382 48

COMPUTER APPLICATIONS TO EXPERIMENT
Data Output System for a Four-Channel Semiconductor Spectrometer — L. V. Krasnov and I. G. Yatsyshin . . . . . 1387 52
Interrupt Scheme for NAIRI-2 Computer — D. S. Oganezova . . . . . 1389 54
Output of Data to an ATsPU-128 Printer from the "Pion" Experimental Setup Using a "Nairi-2" Computer — V. V. Avakyan and D. S. Oganezova . 1393 58
A Simple Circuit for Inputting Data from a UNO-4096-90 Preprocessor to an ES-1010 Computer — A. B. Tyugin, V. V. Gavrilin, and A. V. Irodova . . . . . 1394 59

ELECTRONICS AND RADIO TECHNIQUES
Encoder for the "Disk" Neutron Diffractometer — A. E. Golovin and A. B. Tyugin . . . . . 1397 62
Logic Components in Multichannel Electronic Equipment — V. F. Boreiko, Yu. M. Valuev, V. M. Grebenyuk, and V. G. Zinov. 1399 63
Sign Correlator for Nonstationary Random Pulse Processes — Yu. P. Egorov and B. L. Pivovarov . . . . . 1403 68
An Instrument for Measuring the Integral Distribution Function of Noise — Yu. D. Danilov, L. G. Lyashed'ko, and I. T. Trofimenko. . 1406 70
Oscilloscope Sweep Triggering by a Given State of a Microcomputer Bus — V. M. Kunitsyn and G. I. Nepeleva . . . . . 1408 72
4096-Channel Amplitude Analyzer in CAMAC Standard — V. A. Antyukhov, N. I. Zhuravlev, and A. N. Sinaev. . . . . 1410 74
Accurate Wide-Band dc Current Measurer to 10 kA — B. A. Baklakov, V. F. Veremeenko, M. M. Karliner, A. A. Litvinov, and S. P. Petrov . . . . . 1413 77
Sinusoidal Voltage Envelope Integrator — Yu. A. Grinchenko and O. V. Tuchin . . . . . 1416 79
Two-Channel Device for Measuring Nanosecond Pulse Amplitudes — K. A. Murtazin, I. A. Nepogodin, and A. S. Savel'ev . . . . . 1417 81
Three-Channel Strobed Nanosecond-Range Integrator — B. I. Tsirkel' and A. M. Martsinovskii . . . . . 1419 83
Quadratic Voltage Converter — G. V. Razorenov and A. P. Zagainov . . . 1423 86
Economical Successive Approximation Analog-to-Digital Converters Implemented Using Integrated Circuits — G. V. Basalaev and V. I. Glemba . . . . . 1424 88
Use of a Digital Adder in Fast Phase—Voltage Converters — V. V. Khilil' . . . . . 1427 91
10-MHz Total Conductivity Bridge — A. N. Ponomarev, A. L. Aleksandrov, A. G. Zhdan, and N. A. Lushnikov . . . . . 1430 94
A Multichannel Time Interval Recorder — L. P. Volkov, A. M. Koptyakov, N. N. Platonov, V. K. Melkozerov, A. N. Potanin, P. N. Senichev, and V. L. Sorokin . . . . . 1433 96
Acoustooptical Delay Line — A. V. Buchin, S. V. Morozov, T. N. Sergeenko, and V. I. Yakovlev . . . . . 1436 99
High-Power Generator of Voltage Pulses with High Operating Stability — A. N. Bastrikov, B. M. Koval'chuk, V. A. Kokshenev, V. V. Kremnev, V. I. Manylov, and A. A. Novikov . . . . . 1438 101
Controllable Discharger for a Capacitive Storage Module — V. G. Bezuglov, R. K. Borisov, I. V. Galakhov, A. S. Gasheev, V. I. Ivanov, Yu. P. Kuz'michev, A. I. Kucherov, A. F. Maslov, V. M. Murugov, and E. N. Prokhorov . . . . . 1442 105
Charger for a Capacitive Storage Element — E. A. Meleta and I. M. Raevskii . . . . . 1445 108

Volume 24, Number 6, Part 2 November-December, 1981

ELECTRONICS AND RADIO ENGINEERING
Economic Pulse Shaper — A. F. Budov. . . . . 1449 110
Simple Radio-Pulse Shaper — L. V. Kolik and I. M. Raevskii . . . . . 1450 111
Pulse Shaper with a Capacitive Load — A. V. Sinyavskii . . . . . 1452 113
Differential Discriminator — V. I. Dukhanov and I. B. Mazurov. . . . . 1454 114

| | | |
|---|---|---|
| Sensitive Temperature-Stable Threshold Cascade — A. I. Zhernov, N. S. Pronkin, and A. P. Voronovich | 1457 | 117 |
| Program-Controllable Device for Generation of Time Delays — A. E. Korotynskii, A. N. Kornienko, and N. S. Mukhlygin | 1459 | 119 |
| Wide-Band High-Power Coherent rf Pulse Generator — V. M. Berezov and V. S. Romanov | 1461 | 121 |
| Radio-Frequency Spectrometer for Detecting Weak Spectral Lines — A. A. Konovalenko | 1463 | 123 |
| Tracking Nuclear Magnetic Resonance Magnetometer with Digital Readout in Gauss — A. E. Pryakhin | 1467 | 127 |
| Superhigh-Frequency Locked Oscillator with a Bipolar Transistor — G. V. Petrov and A. V. Khramov | 1472 | 132 |
| Measurement of Dielectric Constant in the Millimeter Waveband — V. A. Karpenko and Yu. D. Stolyarov | 1474 | 133 |
| Regulated Power Supply for Integrated Circuits — A. B. Makhotenko and Yu. M. Kabanov | 1475 | 134 |
| Voltage Regulator — V. P. Neverova and B. A. Semanov | 1478 | 137 |
| Thyristor dc Current Regulator for Electromagnets — A. I. Kaplienko and V. N. Eropkin | 1479 | 138 |
| GENERAL EXPERIMENTAL TECHNIQUES | | |
| Registration of Probe Characteristics in Pulse Discharges with Time Resolution to 50 nsec — B. I. Tsirkel', L. I. Vainberg, G. A. Dyuzhev, A. M. Martsinovskii, and E. A. Startsev | 1482 | 141 |
| Design of Foil Windows for Wide-Beam Electron Guns — V. I. Fedorov, A. S. Myasnikov, and L. P. Shanturin | 1486 | 144 |
| Multiply Charged Metal Ion Source — M. Yu. Bredikhin, V. F. Zelenskii, B. P. Il'enko, and V. K. Khorenko | 1489 | 147 |
| Determination of the Partial Contributions from Photomultiplier Electrodes to the Pulse Amplitude Distribution Using Double Modulation — O. M. Sorokin | 1492 | 149 |
| Device for Measuring Angular Fluctuations of Optical Radiation — S. S. Gasparyan, R. G. Manucharyan, V. N. Narver, V. R. Nikogosyan | 1496 | 153 |
| Magnetooptical High-Vacuum Setup — G. S. Krinchik and L. V. Nikitin | 1499 | 155 |
| Setup for Studying the Kerr Effect at Low Temperatures — S. A. Tyurin, M. V. Khashchina, V. I. Matveev, and E. A. Kalinichenko | 1502 | 158 |
| Setup of Excitation of Cathode Luminescence in Semiconductors — N. I. Koren' and V. A. Ivanov | 1505 | 161 |
| Measurement of Degree of Luminescence Polarization by Successive Storage — M. U. Belyi, B. A. Okhrimenko, and S. M. Yablochkov | 1507 | 162 |
| Fourier Spectrometer with a Movable Light Divider — T. B. Ezhevskaya and A. F. Shipilov | 1511 | 166 |
| Two-Channel Fiber Interferometer for Studying Nonreciprocity in a Single-Mode Fiber Light Guide — E. N. Bazarov, V. G. Izraelyan, E. I. Sverchkov, and G. I. Telegin | 1513 | 168 |
| $CO_2$ Laser in Which the Emission Is Modulated by the Discharge Current — T. I. Deniskina, V. N. Kochetov, O. N. Lazutkin, and O. S. Shin'gin | 1515 | 170 |
| Use of Holographic Interferometry to Monitor the Optical Uniformity of Highly Refracting Transparent Materials — V. A. Gavrilov, V. A. Kutvitskii, V. V. Mechev, V. E. Il'inykh, and V. P. Buzovkin | 1517 | 171 |
| Multiwire X-Ray Counter with High Energy Resolution — G. F. Karabadzhak and V. D. Peskov | 1520 | 174 |
| Registration of a Pulsed Laser Beam by a Matrix of Charge-Coupled Devices — V. F. Volkov, A. K. Peshel', S. M. Slobodyan, and I. S. Tyryshkin | 1522 | 176 |
| Sensitive Frequency Detector for Pressures to 600 Pa — A. G. Smagin | 1524 | 178 |
| Measurement of the Speed of Sound in Condensed Media by Mössbauer Spectroscopy — A. R. Mkrtchyan, L. A. Kocharyan, A. R. Arakelyan, G. A. Arutyunyan, and G. G. Tohkmakhyan | 1527 | 180 |
| Experimental Setup for Measuring Contact Potential Differences — V. N. Fonov, N. N. Glazunov, B. A. Kalinin, and A. P. Zayarnyi | 1530 | 183 |

Proportional Gas Counter for Measuring Photoemission under X-Ray Diffraction Conditions — M. V. Koval'chuk, S. S. Yakimov, R. M. Imamov, N. N. Faleev, Yu. N. Shilin, K. V. Serbinov, and V. Ya. Goncharov . . . . . 1532 185
Raster Optical Microscope Attachment to a Raster Electron Microscope — A. B. Ormont and A. S. Maksimov . . . . . 1534 187
Fabrication of Schottky Barriers on n-Type Indium Phosphide Samples — E. F. Astakhova, R. I. Gloriozova, and N. P. Komissarova. . . . . 1537 189
Array of Metal—Oxide—Metal Thin-Film Diode Radiation Receivers — M. I. Kostenko and V. I. Stroganov. . . . . 1539 190

LABORATORY TECHNIQUES
Ohmic Palladium Contacts on Silicon and Germanium Single Crystals — A. V. Protsenko, M. N. Belikova, V. N. Sinitsyn, and I. F. Poyarkova . . . . . 1542 193
Instrument for Visualizing Ultrasound in Air by Means of a Liquid-Crystal Film — F. F. Legusha, A. N. Slavin, and V. G. Khaustov. . . . . 1544 195
Fiber-Optic Liquid Level Detector — V. N. Volikhov, M. E. Zhabotinskii, S. K. Morshnev, A. S. Ryabov, A. V. Frantsesson, and É. S. Yankovskii. . . . . 1546 197
System for Transporting a Sample in a Double Nuclear-Quadrupole-Resonance Spectrometer — V. P. Anferov, V. S. Grechishkin, and V. M. Mikhal'kov. . . . . 1549 199
Sealing Material for Vacuum Windows in X-Ray Apparatus — V. V. Prytkin and A. I. Prokhvatilov. . . . . 1550 200
High-Temperature Vacuum Atomic and Molecular Source — G. L. Plekhotkina. . 1552 201
Analog System for Monitoring Crystal Growth by the Czochralski Method — S. A. Astashkin, V. N. Dudorov, V. V. Osiko, M. I. Timoshechkin, and V. D. Chervenkov . . . . . 1553 202
Device for Uniformly Covering Thin-Wire Insulation — P. N. Gol'fenshtein, M. A. Drozdov, A. G. Kushnir, and A. S. Ryabchikov. . . . . 1557 205
Calibration of Time Sweep in the Agat Photochronograph — O. M. Brekhov, A. A. Vinogradova, and V. B. Luzanov. . . . . 1559 207
Pulsed Power Source for Gas-Discharge Spectral Tubes — K. P. Kureichik and S. A. Zaikin. . . . . 1561 209
Pressure Sensor for Electromagnetic Field — V. S. Ashanin and V. A. Levinskii . . . . . 1563 211
Quartz Reactor with a Rectangular Temperature Distribution — V. L. Orkin . 1566 213
Electronic Microbalance for Thermogravimetric Analysis — I. T. Efimov, F. N. Vishnevskii, and I. I. Skorokhodov. . . . . 1568 215